

Desktop power module - Type G DPM-1P1N2C(A/C)





Features

1 x Type G (UK) 5A* individually fused power socket

1 x red neon master switch

1 x USB-A fast charging port

1 x USB-C fast charging port

0.5m drop cable to GST 3-pole male connector (with retaining clip)

1 - 10m metre mains power cable available with 13A Type G (UK) plug to GST 3-pole female connector

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W195 x D65 x H65 mm |
|---|--|
| Capacitities | Type G (UK) power sockets: 250V x max. 5A* |
| | USB-A: 5V x 3.1A, max. 15.5W |
| | USB-C: 5V x 3.1A, max. 15.5W |
| | USB-A + USB-C (same time): 5V x 3.1A, max. 15.5W (total) |
| Desktop Depth | 18 - 40mm |
| Weight | 0.59kg |
| Materials | Aluminium casing with plastic end caps |
| Warranty | 5 years |
| Certification | Fully tested / certified to BS 5733 & BS 1363-2, CE marked (meets BS 6396 requirements) |
| Boxed Dimensions | W240 x D110 x 100 mm |
| Boxed Weight | 0.68kg |
| Outer Box Dimensions - 10 units | W520 x D265 x H245 mm |
| Outer Box Weight | 6.9kg |
| * All Boost Type G power modules come with 3.15 | iamp fuses fitted as standard. On installations of 4 sockets or less we can upgrade fuses to 5amp if required. |







Desktop power module - Type G DPM-2P1N





Features

2 x Type G (UK) 5A* individually fused power socket

1 x red neon master switch

0.5m drop cable to GST 3-pole male connector (with retaining clip)

1 - 10m metre mains power cable available with 13A Type G (UK) plug to GST 3-pole female connector

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W190 x D65 x H65 mm | | |
|--|---|--|--|
| Capacitities | Type G (UK) power sockets: 250V x max. 5A* | | |
| Desktop Depth | 18 - 40mm | | |
| Weight | 0.85kg | | |
| Materials | Aluminium casing with plastic end caps | | |
| Warranty | 5 years | | |
| Certification | Fully tested / certified to BS 5733 & BS 1363-2, CE marked (meets BS 6396 requirements) | | |
| Boxed Dimensions | W240 x D110 x 100 mm | | |
| Boxed Weight | 0.94kg | | |
| Outer Box Dimensions - 10 units | W520 x D270 x H245 mm | | |
| Outer Box Weight | 9.9kg | | |
| * All Boost Type G power modules come with 3.15a | imp fuses fitted as standard. On installations of 4 sockets or less we can upgrade fuses to 5amp if required. | | |







Desktop power module - Type G DPM-2P1N2C(A/C)





Features

2 x Type G (UK) 5A* individually fused power sockets

1 x red neon master switch

1 x USB-A fast charging port

1 x USB-C fast charging port

0.5m drop cable to GST 3-pole male connector (with retaining clip)

1 - 10m metre mains power cable available with 13A Type G (UK) plug to GST 3-pole female connector

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W245 x D65 x H65 mm | | |
|---|--|--|--|
| Capacitities | Type G (UK) power sockets: 250V x max. 5A* | | |
| | USB-A: 5V x 3.1A, max. 15.5W | | |
| | USB-C: 5V x 3.1A, max. 15.5W | | |
| | USB-A + USB-C (same time): 5V x 3.1A, max. 15.5W (total) | | |
| Desktop Depth | 18 - 40mm | | |
| Weight | 0.94kg | | |
| Materials | Aluminium casing with plastic end caps | | |
| Warranty | 5 years | | |
| Certification | Fully tested / certified to BS 5733 & BS 1363-2, CE marked (meets BS 6396 requirements) | | |
| Boxed Dimensions | W280 x D110 x H100 mm | | |
| Boxed Weight | 1.04kg | | |
| Outer Box Dimensions - 10 units | W520 x D310 x H245 mm | | |
| Outer Box Weight | 10.9kg | | |
| * All Boost Type G power modules come with 3.15 | iamp fuses fitted as standard. On installations of 4 sockets or less we can upgrade fuses to 5amp if required. | | |







Desktop power module - Type G DPM-2P1N2D





Features

2 x Type G (UK) 5A* individually fused power sockets

1 x red neon master switch

2 x RJ45 (Cat6) data transfer ports

0.5m drop cable to GST 3-pole male connector (with retaining clip)

1 - 10m metre mains power cable available with 13A Type G (UK) plug to GST 3-pole female connector

2, 3 or 5m Cat6 data network cable available

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W230 x D65 x H65 mm | | |
|---|---|--|--|
| Capacitities | Type G (UK) power sockets: 250V x max. 5A* | | |
| Desktop Depth | 18 - 40mm | | |
| Weight | 0.64kg | | |
| Materials | Aluminium casing with plastic end caps | | |
| Warranty | 5 years | | |
| Certification | Fully tested / certified to BS 5733 & BS 1363-2, CE marked (meets BS 6396 requirements) | | |
| Boxed Dimensions | W240 x D110 x 100 mm | | |
| Boxed Weight | 0.73kg | | |
| Outer Box Dimensions - 10 units | W525 x D265 x H245 | | |
| Outer Box Weight | 7.4kg | | |
| * All Boost Type G power modules come with 3.15 | amp fuses fitted as standard. On installations of 4 sockets or less we can upgrade fuses to 5amp if required. | | |







Desktop power module - Type G DPM-2P1N2D2C(A/C)





Features

2 x Type G (UK) 5A* individually fused power sockets

1 x red neon master switch

1 x USB-A fast charging port

1 x USB-C fast charging port

2 x RJ45 (Cat6) data transfer ports

0.5m drop cable to GST 3-pole male connector (with retaining clip)

1 - 10m metre mains power cable available with 13A Type G (UK) plug to GST 3-pole female connector

2, 3 or 5m Cat6 data network cable available

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W280 x D65 x H65 mm |
|---|--|
| Capacitities | Type G (UK) power sockets: 250V x max. 5A* |
| | USB-A: 5V x 3.1A, max. 15.5W |
| | USB-C: 5V x 3.1A, max. 15.5W |
| | USB-A + USB-C (same time): 5V x 3.1A, max. 15.5W (total) |
| Desktop Depth | 18 - 40mm |
| Weight | 1.17kg |
| Materials | Aluminium casing with plastic end caps |
| Warranty | 5 years |
| Certification | Fully tested / certified to BS 5733 & BS 1363-2, CE marked (meets BS 6396 requirements) |
| Boxed Dimensions | W300 x D110 x H100 mm |
| Boxed Weight | 1.28kg |
| Outer Box Dimensions - 10 units | W520 x D320 x H245 mm |
| Outer Box Weight | 13.3kg |
| * All Boost Type G power modules come with 3.15 | iamp fuses fitted as standard. On installations of 4 sockets or less we can upgrade fuses to 5amp if required. |







Desktop power module - Type G DPM-4P1N2C(A/C)





Features

4 x Type G (UK) 5A* individually fused power sockets

1 x red neon master switch

1 x USB-A fast charging port

1 x USB-C fast charging port

0.5m drop cable to GST 3-pole male connector (with retaining clip)

1 - 10m metre mains power cable available with 13A Type G (UK) plug to GST 3-pole female connector

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W350 x D65 x H65 mm | | |
|---|--|--|--|
| Capacitities | Type G (UK) power sockets: 250V x max. 5A* | | |
| | USB-A: 5V x 3.1A, max. 15.5W | | |
| | USB-C: 5V x 3.1A, max. 15.5W | | |
| | USB-A + USB-C (same time): 5V x 3.1A, max. 15.5W (total) | | |
| Desktop Depth | 18 - 40mm | | |
| Weight | 0.88kg | | |
| Materials | Aluminium casing with plastic end caps | | |
| Warranty | 5 years | | |
| Certification | Fully tested / certified to BS 5733 & BS 1363-2, CE marked (meets BS 6396 requirements) | | |
| Boxed Dimensions | W410 x D110 x 100mm | | |
| Boxed Weight | 1.0kg | | |
| Outer Box Dimensions - 10 units | W520 x D420 x H245 mm | | |
| Outer Box Weight | 10.5kg | | |
| * All Boost Type G power modules come with 3.15 | iamp fuses fitted as standard. On installations of 4 sockets or less we can upgrade fuses to 5amp if required. | | |







Desktop power module - Type E DPM-2P(E)2C(A/C)





Features

2 x Type E (French) power sockets

1 x USB-A fast charging port

1 x USB-C fast charging port

0.5m drop cable to GST 3-pole male connector (with retaining clip)

2 or 3m metre mains power cable available with 16A Type E (French) plug to GST 3-pole female connector

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W195 x D65 x H65 mm |
|---------------------------------|---|
| Capacitities | Type E (French) power sockets: 250V x 16A USB-A: 5V x 3.1A, max. 15.5W USB-C: 5V x 3.1A, max. 15.5W USB-A + USB-C (same time): 5V x 3.1A, max. 15.5W (total) |
| Desktop Depth | 18 - 40mm |
| Weight | 0.59kg |
| Materials | Aluminium casing with plastic end caps |
| Warranty | 5 years |
| Certification | IEC 60884-1:2002, +A1:2006, +A2:2013 CE marked |
| Boxed Dimensions | W240 x D110 x 100 mm |
| Boxed Weight | 0.67kg |
| Outer Box Dimensions - 10 units | W525 x D265 x H240 mm |
| Outer Box Weight | 7.2kg |







Desktop power module - Type E DPM-2P(E)2D2C(A/C)





Features

2 x Type E (French) power sockets

1 x red neon master switch

1 x USB-A fast charging port

1 x USB-C fast charging port

2 x RJ45 (Cat6) data transfer ports

0.5m drop cable to GST 3-pole male connector (with retaining clip)

2 or 3m metre mains power cable available with 16A Type E (French) plug to GST 3-pole female connector

2 x hand-turn low profile desk fixing clamps included

Available in black or white

| Module Dimensions | W235 x D65 x H65 mm |
|---------------------------------|---|
| Capacitities | Type E (French) power sockets: 250V x 16A USB-A: 5V x 3.1A, max. 15.5W USB-C: 5V x 3.1A, max. 15.5W USB-A + USB-C (same time): 5V x 3.1A, max. 15.5W (total) |
| Desktop Depth | 18 - 40mm |
| Weight | |
| Materials | Aluminium casing with plastic end caps |
| Warranty | 5 years |
| Certification | IEC 60884-1:2002, +A1:2006, +A2:2013 CE marked |
| Boxed Dimensions | W280 x D110 x 100mm |
| Boxed Weight | 0.75kg |
| Outer Box Dimensions - 10 units | W525 x D300 x H240 mm |
| Outer Box Weight | 8kg |







Sustainability

| Module Material | Material Content (%) | Recycled Content (%) | Recyclability (%) |
|-----------------|----------------------|----------------------|-------------------|
| Steel | 33.65% | 0% | 100% |
| Aluminum alloy | 30.45% | 0% | 100% |
| Plastic | 34.09% | 0% | 100% |
| Copper | 1.81% | 0% | 100% |

| Cable Material | Material Content (%) | Recycled Content (%) | Recyclability (%) |
|----------------|----------------------|----------------------|-------------------|
| PVC | 57.78% | 99.28% | < 35% |
| Copper | 29.25% | | |
| Brass | 5.97% | | |
| РА | 2.57% | | |
| РВТ | 2.38% | | |
| PP | 0.97% | | |
| Iron | 0.53% | | |
| Ceramics | 0.53% | | |



