





KIND: POSTURE & COMFORT

Ethos is a very high specification chair, designed to provide superb comfort. Standard features include inflatable lumbar, independent seat and back mechanism, and integral seat slide.

KIND MESH

MATERIALS

AUTO-WEIGHT SYNCHRO MECHANISM

Seat and back move at a ratio of 2:3:1
Back angle adjustment 25° with infinite locking
Seat angle adjustment 12.5° with infinite locking
Body weight tension control

SEAT SLIDE

Seat depth adjustment (50 mm range)

SEAT

Upholstered seat pad Combustion Modified High Resilience (CMHR) foam Black polypropylene under seat

BACK

Upholstered back and outer back Combustion Modified High Resilience (CMHR) foam

ARMS

Fixed aluminium arms

BACK

Height adjustable with 7 cm adjustment Fully upholstered ergonically shaped back with Combustion Modified High Resilience (CMHR) foam and 12 mm pre-formed laminatted birch inner Manually operated inflatable lumbar support

ARMS

3D adjustable arms (height & width)
Polyurethane arm pads

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

OPFRATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

KIND MESH







KDT01B | Black Frame Mesh Back.

Overall Width	510 mi
Overall Depth	670 mi
Seat Height	440-560 mi
Seat Depth	440 mi
Back Height	620 mi
Weight	15 k

KDT02B | Black Mesh Back Fixed Arms.


Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	17	kg

KDT03B | Black Mesh Back Adj. Arms.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	17.5	kg







KDT01W/SS/B | White Mesh Back.

Overall Width	510	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	15	kg

KDT03W/SS/B | White Mesh Adj. Arms.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	17	kg

KDT01W/SS | White Frame Mesh Back.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	17.5	kg

KIND MESH



KDT03W/SS | White Mesh Back Adj. Arms.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	15	kg

KIND TASK

MATERIALS

AUTO-WEIGHT SYNCHRO MECHANISM

Body weight responsove mechanism

Seat angle 6° adjustment locakable in 5 positions

Back angle 20° adjustment lockable in 5 positions

SEAT & BACK

Upholstered seat and back Combustion Modified High Resilience (CMHR) foam Black Polypropyelene Outer

ARMS

Height and depth adjustable arms Polyurethane pads

BASE & CASTORS

670 mm five star glass filled nylon base 60 mm twin wheel polyamide casotrs Load capacity 50 kgs per castor (total 250 kgs)

GAS LIFT

Black outer support cylinder with 120 mm of adjustment Suitable for users up to 150 kgs

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

OPFRATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.


These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

KIND TASK







KDT11B | Uph. Medium Back.

Overall Width	510	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	520-580	mm
Weight	14.5	kg

KDT13B | Uph. Medium Back Adj. Arms.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	520-580	mm
Weight	17	kg

KDT21B | Uph. High Back.

Overall Width	510	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620-680	mm
Weight	15	kg



KDT23B | Uph. High Back Adj. Arms.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620-680	mm
Weight	17.5	kg

KIND EXECUTIVE

MATERIALS

AUTO-WEIGHT SYNCHRO MECHANISM

Seat and back move at a ratio of 2:3:1
Back angle adjustment 25° with infinite locking
Seat angle adjustment 12.5° with infinite locking
Body weight tension control

SEAT SLIDE

Seat depth adjustment (60 mm range)

SEAT

Upholstered seat pad Combustion Modified High Resilience (CMHR) foam Black polypropylene under seat

BACK

Upholstered back and outer back Combustion Modified High Resilience (CMHR) foam

ARMS

Fixed aluminium arms
3D adjustable arms with aluminium supports

BASE & CASTORS

670 mm diameter five star polished aluminium base 65 mm hard castors Load capacity 50 kgs per castor (tatal 250 kgs)

GAS LIFT

Black outer support cylinder with 120 mm of adjustment suitable for users up to 150 kgs

POLICY

Pledge manufacture in the United Kingdom and are a true manufacturer producing wooden, steel and upholstered products at our site in Leighton Buzzard.

We are committed to the efficient use of energy and continually review our processes to reduce environmental impact seeking to utilise technologies which minimise energy and material consumption in our products and services.

CERTIFICATION

Pledge is ISO9001 & ISO14001 certified, guaranteeing quality and environmental management standards are met.

Furniture Industry Sustainability Programme (FISP)

Furniture Industry Research Association (FIRA)

OPFRATION

Pledge offers a 5-year warranty on structural components. Fabrics are covered by the manufacturers' guarantee.

These terms apply to Pledge Seating used only in general office environments during normal working hours and subject to fair wear and tear. Terms for seating used 24/7 application are available on request.

Our full terms concerning warranties can be found in our Seating Price Guide under terms and conditions section 9.

KIND EXECUTIVE







KDT32C | Exec. Task Chair.

Overall Width	670	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620	mm
Weight	15	kg

KDT33C | Exec. Task Chair.

	Overall Width	510	mm
	Overall Depth	670	mm
	Seat Height	440-560	mm
	Seat Depth	440	mm
	Back Height	520-580	mm
	Weight	14.5	kg

KDT42C | Exec. Task Chair with Head Rest.

	Overall Width	670	mn
	Overall Depth	670	mn
	Seat Height	440-560	mn
	Seat Depth	440	mn
	Back Height	520-580	mn
	Weight	17	k٤



KDT43C | Exec. Task Chair with Head Rest.

Overall Width	510	mm
Overall Depth	670	mm
Seat Height	440-560	mm
Seat Depth	440	mm
Back Height	620-680	mm
Weight	15	kg

KIND COLLECTION

BASE FINISH





Silver RAL 9006 (P)

Chrome (C)

OPTIONS

SEAT

Memory seat foam (ME) Coccyx cut out (CO)

MECHANISM

Synchronised 2:1 ratio with body weight tension control

CASTORS & GLIDES

Glides Soft wheel castors Brake loaded or un-loaded castors

NOTES

Headrest adds an additional 180-250 mm to the height of the back and has a depth adjustment of 100 mm

ENVIRONMENTAL

Recycled Content: 30% (estimated) Recyclable Content: 95%

Plastic components >25 g are labelled in accordance with ISO 11469

HQ

Pledge Chairs Ltd.
Mill Road
Leighton Buzzard
Bedfordshire
LU7 1BA
+44 (0)1525 376181
sales@pledgechairs.co.uk

SHOWROOM

First Floor
21-22 Great Sutton Street
Clerkenwell
London
EC1V ODY
+44 (0)20 7253 7277
showroom@pledgechairs.co.uk