

UNI cabinets



QUALITY STANDARD

- LST EN 14073-1:2004
- LST EN 14073-2:2004
- LST EN 14073-3:2004
- LST EN 14074:2004

TECHNICAL INFORMATION

Carcass

- 18 mm MFC (melamine) with 1 mm ABS edging.

Top and bottom

- 25 mm MFC (melamine) with 2 mm ABS edging.

Back

- Made of 16 mm MFC (melamine);
- Fabric back panel (X0Z071, X0Z103): HDF 3 mm coated with foam 3 mm and fabric;
- Whiteboard back panel (X0Z070, X0Z102): HPL 1 mm.

Shelves

- 18 mm MFC (melamine) with 1 mm ABS edging, load capacity – 25 kg;
- 25 mm MFC (melamine) with 2 mm ABS edging (for W=1000 mm wide carcass), load capacity – 32 kg;
- Fixed or height adjustable shelves.

Doors

- Doors with hinges in 18 mm MFC (melamine) with 1 mm ABS edging;
- Sliding doors in 18 mm MFC (melamine) with 1 mm ABS edging (with plastic runners);
- Tambour doors from ABS profile;
- 5 mm tempered clear glass.

Handles (2 types)

- 136 mm length square handle, powder coated metal;
- 150 mm length curved handle, powder coated metal.



Handle type (colour + handle code)

Drawers

- File drawers for both A4 and foolscap files;
- Full extension, central locking with anti-tilt function;
- Made of welded metal sheet, without bottom. Powder coated black metal;
- Ball bearing slide, load capacity - 50 kg.

Fittings

- Cams with connecting bolts;
- Lock with metal bars;
- Fast assembling hinges (does not require any tools to connect hinges and plates).

Plinth

- Made of 18 mm MFC (melamine), H=80 mm.

Metal legs

- Metal tube - 40x40 mm;
- Plastic feet with height levelling, H=80 mm +10 mm;
- Powder coated metal.


Plastic legs

- Black plastic height levelling feet, H=23 mm +10 mm.

Castors


- Four twin wheel castors, Ø80 mm;
- Two out of four with stopper brakes;
- The load capacity: 100 kg per castor.

RANGE



*wall mounted shelves

**tambour doors



Must be ordered

(one of the following)



Plinth, metal legs, plastic legs or castors


Optional



Fabric back panel for specified cabinets



Whiteboard for specified cabinets



Counterweights for specified cabinets with metal or plastic legs